

订货信息

关于ES400系统电缆和配件见[ES400订货信息](#)。


产品名称	长度	简称	订购号
ES430 / ES432			
λ模块(1-CH)		ES430.1	F-00K-105-922
λ模块(1-CH)		ES432.1	F-00K-106-622

ES430和ES432的可选附件


LSU 4.9 λ传感器和传感器电缆

博世氧传感器LSU 4.9、SR4、RB150代码1连接器、300欧姆、1m / 3.3 ft	1.00 m 3.28 ft	LSUS_49	0-258-017-025
---	-------------------	---------	---------------


λ传感器电缆 LSU 4.9, Souriau 8ST12-35 - RB150 (Code 1) - Banana - BNC (22mc-6fc+2mc+2mc), 3 m	3.00 m 9.84 ft	CBAL4511-3	F-00K-105-926
--	-------------------	------------	---------------




λ传感器电缆 LSU 4.9, Souriau 8ST12-35 - RB150 (Code 1) - Safety Banana - BNC (22mc-6fc+2mc+2mc), 3 m	3.00 m 9.84 ft	CBAL45151-3	F-00K-110-038
---	-------------------	-------------	---------------




λ传感器电缆 LSU 4.9, Souriau 8ST12-35 -
 RB150 (Code 1) - Banana (22mc-
 6fc+2mc+2mc), 3 m 3.00 m CBAL452.1-3 F-00K-106-127
 9.84 ft



λ传感器电缆 LSU 4.9, Souriau 8ST12-35 -
 RB150 (Code 1) - Safety Banana (22mc-
 6fc+2mc+2mc), 3 m 3.00 m CBAL452.5.1-3 F-00K-110-039
 9.84 ft



λ传感器电缆 LSU 4.9, Souriau 8ST12-35 -
 RB150 (Code A) - Banana - BNC (22mc-
 6fc+2mc+2mc), 5 m / 16.4 ft 5.00 m AS_CBAL455.1-5 F-00K-106-308
 16.40 ft




ES432 的可选择附件


LSU ADV λ传感器和传感器电缆

用于汽油机的λ传感器LSU ADV-G, 保护管 TP3, 梯形插头, Code A7, 300 Ohms, 1m / 3.3 ft	1.00 m 3.28 ft	LSU_ADV_G	F-00K-106-409
--	-------------------	-----------	---------------

λ传感器电缆LSU ADV, Souriau 8ST12-35 - 梯形插头, Code A7 - Banana - BNC (22mc- 7fc+2mc+2mc), 3m / 9.8 ft	3.00 m 9.84 ft	CBAL4631-3	F-00K-106-310
---	-------------------	------------	---------------



λ传感器电缆LSU ADV, Souriau 8ST12-35 - 梯形插头, Code A7 - Safety Banana - BNC (22mc-7fc+2mc+2mc), 3m / 9.8 ft	3.00 m 9.84 ft	CBAL46351-3	F-00K-110-035
---	-------------------	-------------	---------------



我们可根据您的规格定制电缆。如您需要更多关于定制电缆的信息，请联系您所在地区的ETAS销售代表。

