


订货信息



产品名称

长度

简称

订购号

ES595 接口模块

ES595.1 接口模块 (1xETK, 2xCAN, 2xLIN, 2xFlexRay, 1xEthernet)

ES595.1

F-00K-106-866

包括CBP120-2电源电缆和CBE-3以太网PC连接电缆

ES595 的可选择附件


A - 电源

供电电缆, Lemo 1B FGJ - Banana (2mc-2mc), 2 m

2.00 m
6.56 ft

CBP120-2

F-00K-102-584




供电电缆, Lemo 1B FGJ - Safety Banana (2mc-2mc), 2 m

2.00 m
6.56 ft

CBP1205-2

F-00K-110-023



B - 以太网与PC或者ES51x模块连接

以太网PC连接电缆, Lemo 1B FGG - RJ45 (8mc-8mc), 3 m	3.00 m 9.84 ft	CBE100-3	F-00K-102-559
---	-------------------	----------	---------------



以太网PC连接电缆, Lemo 1B FGG - RJ45 (8mc-8mc), 8 m	8.00 m 26.25 ft	CBE100-8	F-00K-102-571
---	--------------------	----------	---------------




C - CAN 连接


CAN 接口电缆, Lemo 1B FGC - 2xDSUB (8mc-9fc+9mc), 2 m	2.00 m 6.56 ft	K106	F-00K-001-271
--	-------------------	------	---------------



CAN Y型接口电缆, Lemo 1B FGC - Lemo 0S PCA - LEMO 0S FFA (8mc-2fc+2mc), 2 m	2.00 m 6.56 ft	K107	F-00K-001-272
---	-------------------	------	---------------




CAN 接口电缆, OBDII J1962 - Lemo 1B FGC (16mc-8mc), 2m5	2.50 m 8.20 ft	CBAC150-2m5	F-00K-104-159
--	-------------------	-------------	---------------



CAN 120 Ω 终端电阻, 2xDSUB (9fc+9mc)

CBCX131.1-0


F-00K-103-786



CAN 接口电缆, Lemo 1B FGC - Banana (8mc - 2mc), 1m5

1.50 m
4.92 ft

CBAC160.1-1m5 F-00K-106-116




CAN接口线缆, DSUB - DSUB (9fc-9mc), 2 m

2.00 m
6.56 ft

CBCX130-2

F-00K-103-784




C - CAN / LIN / FlexRay 连接

CAN、FlexRay和LIN接口Y-线缆, Lemo 1B FGC - 2xDSUB (8mc-9fc+ 9mc), 2 m

2.00 m
6.56 ft

CBCF100.1-2

F-00K-106-893




C - FlexRay 连接

FlexRay终端电阻100Ω, 2xDSUB (9fc-9mc)

CBFX1311-0

F-00K-104-689




D - ETK 连接

ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 3 m

3.00 m
9.84 ft

CBM150-3

F-00K-102-556



ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 5 m

5.00 m
16.40 ft

CBM150-5

F-00K-102-557



ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 10 m

10.00 m
32.81 ft

CBM150-10

F-00K-102-553



E - 以太网与XETK或者ES910模块连接

以太网连接电缆 1 GBit/s, Lemo 1B FGE - Lemo 1B FGE (10mc-10mc), 3 m

3.00 m
9.84 ft

CBE230-3

F-00K-105-757



以太网连接电缆 1 GBit/s, Lemo 1B FGE - Lemo 1B FGE (10mc-10mc), 8 m

8.00 m
26.25 ft

CBE230-8

F-00K-105-758



F - 以太网与XETK或者ES910模块连接

适配器电缆以太网连接1 GBit/s to 100 MBit/s, Lemo 1B PHE - Lemo 1B FGF (10fc-8mc), 0m5


0.50 m	CBAE330-0m5	F-00K-105-759
1.64 ft		



G - 以太网与ES4xx或者ES63x模块连接

以太网PC连接电缆, 高度柔韧, Lemo 1B FGF - Lemo 1B FGL (8mc-8fc), 0m5

0.50 m	CBE4011-0m5	F-00K-106-128
1.64 ft		



以太网PC连接电缆, Lemo 1B FGF - Lemo 1B FGL (8mc-8fc), 3 m

3.00 m	CBE400.2-3	F-00K-104-920
9.84 ft		




G - 电源或者以太网与ES4xx or ES63x模块的连接

以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Banana (8mc-8fc+2mc), 3 m


3.00 m	CBEP425.1-3	F-00K-105-972
9.84 ft		

以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Safety Banana (8mc-8fc+2mc), 3 m


3.00 m	CBEP4255.1-3	F-00K-110-029
9.84 ft		



以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Banana (8mc-8fc+2mc), 3 m 3.00 m 9.84 ft CBEP420.1-3 F-00K-105-292



以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Safety Banana (8mc-8fc+2mc), 3 m 3.00 m 9.84 ft CBEP4205.1-3 F-00K-110-041



H - 以太网与ES520、ES59x、ES600以及ES6xx模块连接

以太网连接和供电电缆, Lemo 1B FGF - Lemo 1B FGD (8mc-8mc), 0m45 0.45 m 1.48 ft CBE130-0m45 F-00K-102-748



以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGD (8mc-8mc), 3 m 3.00 m 9.84 ft CBE130-3 F-00K-102-587



以太网连接和带角连接器的供电电缆, Lemo 1B FMF - Lemo 1B FMD (8mc-8mc), 0m45 0.45 m 1.48 ft CBE140-0m45 F-00K-104-153

