








Analog & Digital I/O


Order Name	Length	Short Name	Order Number
Analog Input Cable (ES610, ES650, ES1370)			
Analog Input Cable, Banana - Lemo 0B FGG (2mc-4mc), 1m5	1.50 m 4.92 ft	CBAV180-1m5	F-00K-102-660
			
Analog Input Cable, Banana - Lemo 0B FGG (2mc-4mc), 1m5, set of 8 cables	1.50 m 4.92 ft	CBAV180-1m5_SET8	F-00K-103-107
			
Analog Input Cable, Banana - Lemo 0B FGG (2mc-4mc), 1m5, set of 16 cables	1.50 m 4.92 ft	CBAV180-1m5_SET16	F-00K-103-106
			
Used to adapt BNC wiring to Lemo connector of ES610, ES650 and ES1370.			
Analog Input Cable, BNC - Lemo 0B FGG (2fc-4mc), 0m2	0.20 m 0.66 ft	CBAV190-0m2	F-00K-103-311



Analog Input Cable, BNC - Lemo 0B 0.20 m
 FGG (2fc-4mc), 0m2, set of 8 cables 0.66 ft CBAV190-0m2_SET8 F-00K-103-313



Analog Input Cable, BNC - Lemo 0B 0.20 m
 FGG (2fc-4mc), 0m2, set of 16 cables 0.66 ft CBAV190-0m2_SET16 F-00K-103-312



Used to adapt BNC wiring to Lemo connector of ES610, ES650 and ES1370.

Analog Input Cable, BNC - Lemo 0B 2.00 m
 FGG (2mc-4mc), 2 m 6.56 ft CBAV200-2 F-00K-103-314



Analog Input Cable, BNC - Lemo 0B 2.00 m
 FGG (2mc-4mc), 2 m, set of 8 cables 6.56 ft CBAV200-2_SET8 F-00K-103-327



Analog Input Cable, BNC - Lemo 0B 2.00 m
 FGG (2mc-4mc), 2 m, set of 16 cables 6.56 ft CBAV200-2_SET16 F-00K-103-326



Analog Input Connection Cable (ES1303, ES1370, ES1371)

Transfers analog input voltages from an ES1370 / ES1371 satellite box to an ES1303 board.

Analog Input Connection Cable, Lemo 3.00 m
 1B FGB - Lemo 1B FGB (8mc-8mc), 3 m 9.84 ft CBV200-3 F-00K-102-879




Analog Input Splitter Cable (ES410)

Connects up to 8 sensors to an ES410 module. Rugged water- and dust-proof (IP67).


Analog Input Splitter Cable, Souriau	0.20 m	CBAV401-0m2	F-00K-105-687
8ST12-35 - 8xBNC (22mc-8x2fc), 0m2	0.66 ft		



Analog Input Splitter Cable, Souriau	2.00 m	CBAV4031-2	F-00K-105-688
8ST12-35 - 8xBNC (22mc-8x2mc), 2 m	6.56 ft		




Analog Input Splitter Cable, Souriau	2.00 m	CBAV4801-2	F-00K-105-686
8ST12-35 - 8xOpen Wires (22mc-8x2c), 2 m	6.56 ft		


**Analog Input Splitter Cable (ES411, ES441)**

Connects up to 4 sensors to an ES4xx module. Rugged water- and dust-proof (IP67).


Analog Input Splitter Cable, Souriau	0.30 m	CBAV4001-0m3	F-00K-104-916
8ST12-35 - BNC (22mc-4x2fc), 0m3	0.98 ft		



Analog Input Splitter Cable, Souriau
 8ST12-35 - Open Wires (22mc-4x6c), 2 m
 2.00 m CBAV411.1-2 F-00K-104-918
 6.56 ft




Analog Input Splitter Cable,
 Voltage/Current measurement,
 Souriau 8ST12- 35 – Lemo 1B PHG
 (22mc-4x6fc), 0m3
 0.30 m CBAV417.1-0m3 F-00K-111-855
 0.98 ft




Cable for ES930


ES930 Input Cable, DSUB – Open Wire
 (15fc - 15c), 2 m / 6.5 ft
 2.00 m CBAV420.1-2 F-00K-106-987
 6.56 ft



ES930 Output Cable, DSUB – Open
 Wire (9fc - 9c), 2 m / 6.5 ft
 2.00 m CBAV421.1-2 F-00K-106-988
 6.56 ft



ES930 Power Stage Cable, DSUB -	2.00 m	CBAV422.1-2	F-00K-106-989
Open Wire (26mc-26c), 2 m / 6.5 ft	6.56 ft		



Custom cables can be produced according to your specifications. For more information on custom cables, please contact your [local ETAS sales representative](#).

